

Web: www.aestsport.com

Office 1: Löwenbury Strasse 14b
53859 Niederkassel
Germany

TEL: +49 2208 90950-0

FAX: +49 2208 90950-10

Office 2: Unit D 16/F One Capital Place 18 Luard Road WanChai HongKong

TEL: +852-28150191

FAX: +852-25445670

Manufacturer: Jiancang Technology Park, Songgang Road, Baoan District, Shenzhen, China.

TEL: +86 755 29997911

FAX: +86 755 29556623

E-mail: arkiko@yklbike.com / Yolanda@yklbike.com





COMPANY PROFILE

AEST takes the global leading technology health sports products as a guide, is an innovative technology company with development, production and sales. We have been developing sports since 2007, have formed "AEST" brand in Germany, with keynote emphasis on independent R&D, now we have folding scooter department, electric scooter department, bicycle parts department, has been exported to more than 60 countries and regions, let the people of the world enjoy the happiness of sports.

CUSTOMERS FIRST, HUMANIZED DESIGN

AEST products development always takes to meet the demand for users as the guide, adhere to the "customers first" core concept, continuously launch new sports products. AEST always adhere to the sports equipments from "sports tool" to "life attitude" to "life partner" concept, while strengthening the technological innovation, blend into more humanized design. We firmly believe that the future of sports equipment is no longer simple tool, but a human faithful partner.

CONTINUOUSLY INNOVATE, INDUSTRY LEADER

Under the leadership of Yan Wen, who is the founder of the company, AEST is innovating bicycles parts design and development the electric products and intelligent sports products; AEST accumulate rich experience on the research and development, marketing and brand operating. As the standard of "patented technology, patent standardization, production of international level", AEST promoting independent innovation and industry standards, which is plenting rich color on Made in China road!

MARKET VOICE, GLOBAL RESPONSES

The AEST sports products have been sold in more than 60 countries and regions. We have established sub sales company in Australia, North Korea, Southeast Asia and Northern Europe, And continue to develop a broader market in the whole world. The AEST has reached a strategic cooperation with the most largest sporting products sales Company "Arkus" in Poland in 2011. Also reached a development agreement with 5 brand companies which the most famous brands of the world in 2013. The AEST come into the Korea market in 2014 with a great sales achievement. Not only life attitude but also life partner. In the future, AEST will continue to adhere the concept of making sports more happier, and provide more professional and simple and convenient way for customers as the company's mission, and explore positively how to bring better experience for the global users, as well as how to make more users around the world enjoy the sports products, and live in the modern healthy life.

FACTORY SHOW



SHOWROOM



RECEPTION DESK



PRODUCTION LINE



MANUFACTURING SHOP



CNC MILLING MACHINE



CNC LATHE



LASER ENGRAVING MACHINE

OUR CERTIFICATIONS



UL2272



FCC



ROHS



CE



EN14619

OUR EXHIBITIONS



2009 CHINA CYCLE



2016 CHINA CYCLE



2017 CEF CHINA



2017 INTERBIKE USA



2018 CHINA CYCLE



2018 ISPO MUNICH

OUR PATENTS



CONTENTS

05-12

▪ FOLDING KICK SCOOTER

13-22

▪ E-SCOOTER

FOLDING KICK SCOOTER

Independently developed patented folding mechanism, CNC precision machining, tolerance is not over than $\pm 0.025\text{mm}$, three-point control, One-second to fold, More stable.






T-BAR




FOLDING STRUCTURE



REAR WHEEL



BEARINGS ABEC-9



COLOR OPTIONAL

A85

For age	8-Adult
Foldable	Yes
Payload	≤100kg
Main frame	Aluminium alloy
Wheel	8 inches, PP+PU wheel with ABEC-9 bearing
Shock-absorption	Yes. Front fork shock-absorption
Brake	Mechanical brake
Handlebar	Foldable, Width: 520mm
Deck	120*560mm. Foot area length: 340mm
Fork	Steel, 2 bearings suspension fork
Grip	TPR
Fender	Front: ABS, Rear: pressure casting
N.W.	6.3kg
G.W.	7.4kg

Dimensions of product Fold: 870*120*320mm, Unfold: 900*520*(870-1070)mm
 Dimensions of package 905*282*375mm. 2 units/master box



COLOR OPTIONAL



T-BAR



FOLDING STRUCTURE



REAR WHEEL



A80

For age	8-Adult
Foldable	Yes.
Payload	≤100kg
Main frame	Aluminium alloy
Wheel	8 inches, PP+PU wheel with ABEC-9 bearing
Brake	Mechanical brake
Handlebar	Foldable, Width: 420mm
Deck	Foot area: 112*340mm
Fork	Steel
Grip	TPR
Fender	Front: ABS, Rear: pressure casting
N.W.	4.5kg
G.W.	5.5kg
Dimensions of product	Fold: 860*112*310mm, Unfold: 900*420*(850-1050)mm
Dimensions of package	900*270*372mm. 2 units/master box



COLOR OPTIONAL



T-BAR



FRONT WHEEL



REAR WHEEL

A50

For age	6-Adult
Foldable	Yes.
Payload	≤80kg
Main frame	Aluminium alloy
Wheel	120.5mm, PP+PU wheel with ABEC-9 bearing
Brake	Mechanical brake
Handlebar	Foldable, Width: 420mm
Deck	Foot area: 112*340mm
Fork	steel
Grip	TPR
Fender	Front: ABS, Rear: steel
N.W.	3.6kg
G.W.	4.5kg
Dimensions of product	Fold: 780 * 112 *250mm, Unfold: 730*420*(780-980)mm
Dimensions of package	775*247*300mm. 2 units/master box



COLOR OPTIONAL



T-BAR



FOLDING STRUCTURE



REAR WHEEL

A75

For age	8-Adult
Foldable	Yes.
Payload	≤100kg
Main frame	Aluminium alloy
Wheel	175mm, PP+PU wheel with ABEC-9 bearing
Brake	Mechanical brake
Handlebar	Foldable, Width: 420mm
Deck	Foot area: 112*340mm
Fork	Steel
Grip	TPR
Fender	Front: ABS, Rear: steel
N.W.	4.5kg
G.W.	5.5kg
Dimensions of product	Fold: 820*112*290mm, Unfold: 830*420*(820-1000)mm
Dimensions of package	872*265*355mm. 2 units/master box

E-SCOOTER

Made of aviation-grade aluminum alloy material.
More secure with a dual braking system.
Equipped with integrated brushless motor,
LG high-safety 18650 power lithium battery.





T-BAR



DISPLAY



FOLDING STRUCTURE



DECK



REAR WHEEL



COLOR OPTIONAL

E80H

For age	14-50 years old
Foldable	Yes
Payload	≤100kg
Wheel	8 inches, solid tire
Shock-absorption	Yes. Front fork shock-absorption
Brake	Electronic brake + Mechanical brake
Drive	Rear-wheel driven method
Main frame	Aluminium alloy. Deck: foot area 140*500mm
Max speed	24km/h
Max. Slope	15 degree
Distance per charge	15-20km
Battery	Chinese battery, 36V, 7.5AH
Duration of charging	3-4 hrs
Charger	100-240V~50/60Hz, DC 42V, 2A
Motor	36V, 300W
Light	Front light
System control	Electronic control, Glide to start, Turn on-off, Riding modes switch. Light switch
N.W.	11.6kg
G.W.	14.8kg
Dimensions of product	Fold: 1120*245*590mm, Unfold: 1050*500*1120mm
Dimensions of package	1180*320*640mm



T-BAR



DISPLAY



FOLDING STRUCTURE



REAR WHEEL



COLOR OPTIONAL

E80S

For age	14-50 years old
Foldable	Yes.
Payload	≤100kg
Wheel	8 inches, solid tire
Shock-absorption	Yes. Front fork shock-absorption
Brake	Electronic brake + Mechanical brake
Drive	Rear-wheel driven method
Main frame	Aluminium alloy. Deck: foot area 140*500mm
Max speed	24km/h
Max. Slope	15 degree
Distance per charge	10-12km
Battery	Chinese battery, 36V, 5.0AH
Duration of charging	3-4 hrs
Charger	100-240V~50/60Hz, DC 42V, 2A
Motor	36V, 300W
Light	Front light
System control	Electronic control, Glide to start, Turn on-off, Riding modes switch. Light switch
N.W.	11.1kg
G.W.	13.4kg
Dimensions of product	Fold: 1110*420*395mm, Unfold: 1055*420*1115mm
Dimensions of package	935*205*470mm



T-BAR



DISPLAY



FOLDING STRUCTURE



FRONT WHEEL



COLOR OPTIONAL

E65

For age	14-50 years old
Foldable	Yes.
Payload	≤100kg
Wheel	6.5 inches, solid tire
Shock-absorption	Yes. Front fork shock-absorption
Brake	Electronic brake + Mechanical brake
Drive	Front-wheel driven method
Main frame	Aluminium alloy. Deck: foot area 145*500mm
Max speed	24km/h
Max. Slope	15 degree
Distance per charge	10km
Battery	Chinese battery, 24V, 5.0AH
Duration of charging	3-4 hrs
Charger	100-240V~50/60Hz, DC 29.4V, 2A
Motor	24V, 250W
Light	Front + Rear
System control	Electronic control, Glide to start, Turn on-off, Riding modes switch. Light switch
N.W.	9.6kg
G.W.	12kg
Dimensions of product	Fold: 1130*260*500mm, Unfold: 1000*1100*465mm
Dimensions of package	1180*320*600mm



NEW



GX03

For age	14-50 years old
Foldable	Yes
Payload	≤120kg
Wheel	9.5 inches, solid tire
Shock-absorption	Yes. Front fork shock-absorption
Brake	Hub brake + Electronic brake + Mechanical brake
Drive	Rear-wheel driven method
Main frame	Aluminium alloy. Deck: foot area 195*566mm
Max speed	24km/h
Max. Slope	20 degree
Distance per charge	40-45km
Battery	LG battery, 36V, 13AH
Duration of charging	7-8 hrs
Charger	100-240V~50/60Hz,DC 42V, 2A
Motor	36V, 450W. Hub motor
Light	Front + Rear
System control	Electronic control, Glide to start, Turn on-off, Riding modes switch. Light switch
N.W.	20.6kg
G.W.	25kg
Dimensions of product	Fold: 1130*245*628mm, Unfold: 1226*500*1108mm
Dimensions of package	1185*300*660mm



T-BAR



DISPLAY



FOLDING STRUCTURE



HAND BRAKE



WHEEL DOUBLE BRAKE



NEW



T-BAR



DISPLAY




SUSPENSION FORK



HEADLIGHT



WHEEL DOUBLE BRAKE



COLOR OPTIONAL

GX05

For age	14-50 years old
Foldable	Yes.
Payload	≤120kg
Wheel	9.5 inches, solid tire
Shock-absorption	Yes. Both side front fork shock-absorption
Brake	Front + Rear hub brake + Electronic brake + Mechanical brake
Drive	Rear-wheel driven method
Main frame	Aluminium alloy. Deck: foot area 195*566mm
Max speed	24km/h
Max. Slope	20 degree
Distance per charge	40-45km
Battery	LG battery, 36V, 13AH
Duration of charging	7-8 hrs
Charger	100-240V~50/60Hz, DC 42V, 2A
Motor	36V, 450W, hub motor
Light	Front + Rear
System control	Electronic control, Glide to start, Turn on-off, Riding modes switch. Light switch
N.W.	21kg
G.W.	26.3kg
Dimensions of product	Fold: 1130*245*628mm, Unfold:1237*500*1120mm
Dimensions of package	1190*310*680mm